

**FIG. 1**




FIG. 2




FIG.3




FIG.4

START BYTE POSITION	DATA LENGTH	FIELD NAME
0	LP_1	ENTRY #0
LP_1	LP_2	ENTRY #1
LP_1 + LP_2	LP_3	ENTRY #2
⋮	⋮	⋮
LP_1 + LP_n - 1	LP_n	ENTRY #n

FIG.5

START BYTE POSITION	DATA LENGTH	FIELD NAME
0	2	VERSION INFORMATION
2	2	FLAG
4	1	DATA TYPE
5	4	PRODUCTION DATE AND TIME
9	4	EDITING DATE AND TIME
13	4	DURATION
⋮	⋮	⋮
26	4	ENTRY NUMBER
30	1	ENTRY PROPERTY
31	4	FOLDER PROPERTY

FIG.6

ENTRY NUMBER	# 0	# 1	# 2	# 3	# 4	# 5	# 6	# 7
ENTRY PROPERTY 1 0: FOLDER 1: FILE	0	1	X	0	0	1	1	1
ENTRY PROPERTY 2 0: NORMAL 1: SYSTEM	0	0	1	0	0	0	0	0
ENTRY PROPERTY 3 0: VALID 1: INVALID	0	0	0	0	0	0	1	0
ENTRY PROPERTY 4 0: NOT REFERRING 1: REFERRING	X	0	X	X	X	1	1	0
FOLDER PROPERTY	X	0	X	0	3	3	4	4
REFERRED COUNTER	0	1	0	0	0	0	0	0
REFERRING LIST	-	5	-	-	-	-	-	-

← VALID/INVALID FLAG OF ENTRY

FileA

↕

FileB

↗

~~FileC~~

↖

FileD

↖

CONTENT FILE

FIG.7




FIG. 8




FIG.9






FIG.10




FIG. 11A




FIG. 11B




FIG. 12




FIG. 13




FIG. 14




FIG. 15